



This drawing, specifications, and concepts contained herein are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

| REVISIONS | | | | |
|-----------|--|--------|---------|----------|
| REV | DESCRIPTION | DATE | INITIAL | APPROVED |
| 1 | CH'D TITLEBLOCK & REVISION BLOCK, ADDED ENGRAVE NOTE, CH'D DWG. NO., ADDED ASSY VIEW SHEET 1, SOCKET SHEET 2, UPDATED P/N'S. | 6/9/09 | RJC | - |



-003 WRENCH ASSY


| ASSY QTY | ASSY QTY | B/O | PART # | UNIT QTY | DESCRIPTION | MATERIAL | B/O INFORMATION OR SPECIFICATIONS |
|----------|----------|-----|--------|----------|-------------|----------|-----------------------------------|
| | | | -005 | 1 | WRENCH | 4130 | 2 x 4.75 x 1/4 |
| | | | -007 | 1 | SOCKET | - | PROTO SOCKET 7714H |
| | | | | | | | |
| | ASSY # | | | | | | |

| | |
|---|-----------------|
|  RED BARN MACHINE | |
| TITLE WRENCH, UPPER PULLEY ADJUSTMENT | |
| DWG NO. 269T9303-003 | REV 1 |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES | |
| TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1 | |
| UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING | |
| SCALE NTS | DATE 7-28-03 |
| SHEET 1 of 3 | |

| | |
|--------------------|-------------|
| DRAWN BY: CDLE | APPROVED |
| HEAT TREAT | FINISH SPEC |
| BLACK OXIDE | |
| USED ON MODEL | |
| SCHWEIZER 269, 300 | |

This drawing, specifications, and concepts contained herein are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

| REVISIONS | | | | |
|-----------|--|--------|---------|----------|
| REV | DESCRIPTION | DATE | INITIAL | APPROVED |
| 1 | CH'D TITLEBLOCK & REVISION BLOCK, ADDED ENGRAVE NOTE, CH'D DWG. NO., ADDED ASSY VIEW SHEET 1, SOCKET SHEET 2, UPDATED P/N'S. | 6/9/09 | RJC | - |




-005

| | |
|---|-------------|
| RED BARN MACHINE | |
| TITLE WRENCH UPPER PULLEY ADJUSTMENT: WRENCH | |
| DWG NO. 269T9303-005 | REV 1 |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES | |
| TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± .5° X ± .1 | |
| UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING | |
| SCALE NTS | DATE 7-5-06 |
| SHEET 2 of 3 | |

| |
|-------------------------|
| DRAWN BY: PERRITT |
| APPROVED |
| HEAT TREAT RC 40-44 |
| FINISH SPEC BLACK OXIDE |
| USED ON MODEL |
| SCHWEIZER 269, 300 |

This drawing, specifications, and concepts contained herein are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

| REVISIONS | | | | |
|-----------|--|--------|---------|----------|
| REV | DESCRIPTION | DATE | INITIAL | APPROVED |
| 1 | CH'D TITLEBLOCK & REVISION BLOCK, ADDED ENGRAVE NOTE, CH'D DWG. NO., ADDED ASSY VIEW SHEET 1, SOCKET SHEET 2, UPDATED P/N'S. | 6/9/09 | RJC | - |



| | |
|---|--|
| RED BARN MACHINE | |
| TITLE WRENCH, UPPER PULLEY ADJUSTMENT: SOCKET | |
| DWG NO. 269T9303-007 | REV 1 |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1 | DRAWN BY: CDLE APPROVED HEAT TREAT FINISH SPEC BLACK OXIDE USED ON MODEL SCHWEIZER 269, 300 |
| UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING | |
| SCALE NTS | DATE 8-6-03 SHEET 3 of 3 |

NOT APPROVED FOR PRODUCTION

| REVISIONS | | | |
|-----------|-------------|------|----------|
| REV | DESCRIPTION | DATE | APPROVED |
| | | | |

| PART # | QTY | DESCRIPTION |
|--------|-----|------------------|
| -1 | 1 | 41L40 Ø5/8 x 3/4 |
| | | |

| USED ON MODEL |
|---------------|
| ? |
| |
| |
| |

| |
|---|
| DRAWN BY: PERRITT |
| APPROVED |
| HEAT TREAT |
| FINISH SPEC BLACK OXIDE |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1 |
| UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES Ø15 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING |

| | |
|---------------------|---------------------------|
| RB RED BARN MACHINE | |
| TITLE | |
| DWG NO. | PART # |
| SCALE NTS | DATE 9-15-03 SHEET 1 of 1 |

NOT APPROVED FOR PRODUCTION

| REVISIONS | | | |
|-----------|-------------|------|----------|
| REV | DESCRIPTION | DATE | APPROVED |
| | | | |

| PART # | QTY | DESCRIPTION |
|--------|-----|-----------------------|
| -1 | 1 | 4140 3/16 x 1 1/2 x 4 |
| | | |

| | | | |
|--|---|--------------------------------|--------------|
| USED ON MODEL ? | DRAWN BY: PERRITT | <div>RB</div> RED BARN MACHINE | |
| | CHECKED | | |
| | HEAT TREAT FINISH SPEC | TITLE | |
| | UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1 | TITLE | |
| | UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING | PART # | |
| SCALE NTS | | DATE 9-15-03 | SHEET 1 of 1 |